AC

M->T

Cardioplegia: Medication Order Form 2 Boxes

697 Waverly Street, Framingham, MA 01702
Tel: 800-994-6322 or 508-820-0606
Fax: 888-820-0583 or 508-820-1616
www.neccrx.com
Cardioplegia Contact: Tim O'Connel 508-425-9300

Ø Shipping

PO #: 3201291725

St. Pet r's Hospital
Pharmacy Department
315 South Manning Boulevard - Albany, NY 12208
Ordering Contact: See below name/phone/signature

**** STANDARD ORDERING ****
Fax order by 11:00am on Mondays (Eastern Time)
for Wednesday deliveries... also Tue for Thr & Wed for Fri

	CP-00134	CP-00137			
Indicate units ordered >	30 Units	30 Units	____Units	____Units	____Units

************ **Cardioplegia Solutions** ************

Ingredient	Cold Induction KCl 40 mEq YELLOW LABEL Volume/Dose	Maintenance KCl 18 mEq WHITE LABEL Volume/Dose	Reperfusion KCl 20 mEq LAVENDER LABEL Volume/Dose	AMINO ACID Warm Induction WHITE LABEL Volume/Dose	AMINO ACID Reperfusate WHITE LABEL Volume/Dose
Potassium Chloride (2 mEq/mL)	20 ml (40 mEq)	9 ml (18 mEq)	10 ml (20 mEq)	40 ml (80 mEq)	19 ml (38 mEq)
Tromethamine 0.3M	120 ml	120 ml	118 ml		
Tromethamine 0.6M				112.5 ml	112.5 ml
CP2D Injection	30 ml	30 ml	118 ml	225 ml	225 ml
D70W	23 ml	23 ml	28 ml		
D5W				395.5 ml	477.5 ml
Sodium Chloride 23.4%	3.2 ml	3.2 ml			
NaGlut / NaAsp 0.92M	10 ml	15 ml	12 ml (24 mEq)	125 ml	125 ml
Sterile Water for Injection	305 ml	305 ml	223 ml		
Total Volume	**501.2 ml**	**490.2 ml**	**497 ml**	**1000 ml**	**959 ml**

Hosp St. P

15036 14706

REQUESTED DELIVERY DATE: June 5, 2012

900

Print Name: Debra Conklin
Signature: Debra Conklin

Phone: 518-525-5771
Title: Administrative Assistant

Receipt of Fax Confirmed by:
Institutional Agent: Debby
NECC: DM
Date: 6/1/12
Time: 10:30 am

**** ORDER CONFIRMATION PROCEDURES ****
You will receive a call from our Pharmacy within a few hours to confirm the receipt of this order. If you do not receive a call, please resend your order form.

Logged Formula Worksheet (standard)

6/1/2012 10:41:35 AM
Page 1

LG231748

NEW ENGLAND COMPOUNDING CTR
697 WAVERLY ST.
697 WAVERLY ST.
FRAMINGHAM, MA 01702 Ph. 800-994-6322

CP-00134 COLD INDUCTION (BX) SOLUTION

0

Flavor:
Description:
Quantity made: 15036 ML

Schedule:
Active ☑
Formula ID: 9965
Log ID: 231748

Batch yield: 15,036.000
Qty remaining: 15,036.000

PCCA ID:
Route of admin:

Date made: 6/4/2012
Lot number: 06042012@7
Beyond use date: July 4, 2012
30 days after compounding date
10:41 AM

Pharmacist: GC
Technician: <NONE>
NDC1:
Packaging:
Equipment:

Pricing calculations from the log		
Estimated price	$9.00	as of
Ingredient cost	$0.00	
Device cost	$0.00	
Time cost	$0.00	Time to make: 0
Profit	$9.00	

M

Labeling: REFRIGERATE
Stability information:

Chemicals	Sch.	Quantity used	QS	(Balance)	Actual cost & date
1 POTASSIUM CHLORIDE 2MEQ/ML SOLN Lot #: 88725DW Mfg: HOSPIRA Chemical Code: Volume: Potency: Balance:		600 ML Exp. date: 4/1/2016 QS amount:	☐	Whlsr: HOSPIRA NDC: 00409151302	$0.00 07/30/2010 AWP: $0.00 Each ML contains 0.0399 ML or 3.99% CheminvID: 0
2 TROMETHAMINE (THAM) 0.3M SOLUTION Lot #: 05182012@4 Mfg: STORE Chemical Code: Volume: Potency: Balance:		3600 ML Exp. date: 8/16/2012 QS amount:	☐	Whlsr: STORE NDC:	$0.00 05/17/2012 AWP: $0.00 Each ML contains 0.239 ML or 23.9% CheminvID: 8084
3 CP2D ANTICOAGULANT SOLN Lot #: 05182012@7 Mfg: STORE Chemical Code: Volume: Potency: Balance:		900 ML Exp. date: 8/16/2012 QS amount:	☐	Whlsr: STORE NDC:	$0.00 05/17/2012 AWP: $0.00 Each ML contains 0.0599 ML or 5.99% CheminvID: 8087
4 DEXTROSE 70% INJECTABLE Lot #: 77-054-JT Mfg: HOSPIRA Chemical Code: Volume: Potency: Balance:		690 ML Exp. date: 5/1/2016 QS amount:	☐	Whlsr: NDC:	$0.00 06/16/2010 AWP: $0.00 Each ML contains 0.0459 ML or 4.59% CheminvID: 0
5 SODIUM CHLORIDE 23.4% INJECTABLE Lot #: 80062DW Mfg: HOSPIRA Chemical Code: Volume: Potency: Balance:		96 ML Exp. date: 8/1/2016 QS amount:	☐	Whlsr: HOSPIRA NDC:	$0.00 AWP: $0.00 Each ML contains 0.00638 ML or 0.638% CheminvID: 0
6 WATER FOR INJECTION INJ Lot #: J2B670 Mfg: BRAUN Chemical Code: Volume: Potency: Balance:		9150 ML Exp. date: 8/31/2014 QS amount:	☐	Whlsr: BRAUN NDC: 00409488799	$18,300.00 06/17/2005 AWP: $44.74 Each ML contains 0.609 ML or 60.9% CheminvID: 300

(Added all GM & GMS

Log Instructions & Notes

Originally made as: 15036 CP-00134 COLD INDUCTION (BX) SOLUTION
Calculated lot number: 06042012@7 Beyond use date: 7/4/2012
FORMULA INSTRUCTIONS:

CARDIOPLEGIA #88888800134 COLD INDUCTION-ST.PETER'S

30 X 501.2 mL BAXA BAG

USE BAXA EM-2400 PUMP TO PRODUCE
USE ZEBRA 3X3 LABELS (YELLOW)

Date entered: 6/1/2012 10:41:32 AM Last modified: 6/1/2012 10:41:33 AM
Checked by:

St. Peter's Hospital
Cold Induction — KCl 40 mEq

Potassium Chloride	20 mL (40mEq)
Tromethamine 0.3M	120 mL
CP2D Injection	30 mL
D70W	23 mL
Sodium Chloride 23.4%	3.2 mL
Sterile Water Injection	305 mL

Total Volume: 501.2 mL
Cardiac Perfusion Only
Not for I.V. Administration
Exp: 07/04/2012
Lot: 06042012@7
Refrigerate
RX Only
NECC
800 — 994 — 6322
Framingham, MA 01702
88888800134

Logged Formula Worksheet (standard)
6/1/2012 10:41:35 AM
Page 2

NEW ENGLAND COMPOUNDING CTR
697 WAVERLY ST.
697 WAVERLY ST.
FRAMINGHAM, MA 01702 Ph. 800-994-6322

CP-00134 COLD INDUCTION (BX) SOLUTION

0
Flavor:
Description:
Schedule:
Active ☑
Formula ID: 9965
Log ID: 231748

Quantity made: 15036 ML
Batch yield: 15,036.000
Qty remaining: 15,036.000
PCCA ID:
Route of admin:

*****The EM2400 Compounder may be operated by trained pharmacists or technicians. User training should be certified by the Pharmacy IV Supervisor.**
*****The EM2400 Compounder complements, but does not replace, professional expertise and proper sterile technique in the compounding of parenteral solutions. The EM2400 should be operated only by users trained in its operation. Training certification records should be maintained for all users in pharmacy personnel files.**
DETAILED OPERATION INSTRUCTIONS ARE IN COMPOUNDER UNDER "BAXA PUMP OPERATION INSTRUCTIONS EM2400 COMPOUNDER

Date entered: 6/1/2012 10:41:22 AM **Last modified:** 6/1/2012 10:41:33 AM **by:** LAB
Checked by: _____ **Date:** ___/___/_____

MixCheck™ Report

Formula Name: Cold Induction(88888800134)
Serial Number: 88888800134
Configuration: CARDIO-2

Date/Time: 6/4/2012 10:14:16AM
User: Barry J. Cadden
Elapsed Time: 00:02:27

Expected Weight (g): 511.52 Measured Weight (g): 512.42 Difference (%): 0.18

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)	Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)	Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)	Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)	Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	15
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	40
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 8)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	250
			Total (mL):	305
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)	Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
Used 40.00 mL of overfill: Sterile Water for In at port 24
Container at port 24 exchanged with new container of HOSPIRA Sterile Water for In 2000 Bag
The final weight of this solution is within the acceptable limit of +/-3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972359

MixCheck™Report

Formula Name **Cold Induction(88888800134)**
Serial Number **88888800134**
Configuration **CARDIO-2**

Date/Time **6/4/2012 10:16:02AM**
User **Barry J. Cadden**
Elapsed Time **00:01:25**

Expected Weight (g): **511.52** Measured Weight (g): **514.83** Difference (%): **0.65**

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972360

MixCheck™ Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:17:51AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:24**

Expected Weight (g): **511.52** Measured Weight (g): **511.63** Difference (%): **0.02**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/-3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972361

MixCheck™Report

Formula Name: Cold Induction(88888800134)
Serial Number: 88888800134
Configuration: CARDIO-2

Date/Time: 6/4/2012 10:19:31AM
User: Barry J. Cadden
Elapsed Time: 00:01:18

Expected Weight (g): 511.52 Measured Weight (g): 512.30 Difference (%): 0.15

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972362

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:21:22AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:28

Expected Weight (g): 511.52 Measured Weight (g): 511.69 Difference (%): 0.03

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972363

MixCheck™Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:23:04AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:21**

Expected Weight (g): **511.52** Measured Weight (g): **512.94** Difference (%): **0.28**

User Comments:

			Ordered Volume
CP2D Anticoagulant			
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)		30
	Lot #: 04062012@3	Exp. Date: 7/5/2012	
Dextrose 70%			
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)		23
	Lot #: 94-189-JT	Exp. Date: 10/1/2012	
K Chloride 2mEq/ml			
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)		20
	Lot #: 05032012@85	Exp. Date: 10/30/2012	
Na Chloride 23.4%			
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)		3.2
	Lot #: 04262012@82	Exp. Date: 7/25/2012	
Sterile Water for In			
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)		305
	Lot #: 12-054-JT	Exp. Date: 6/1/2013	
Tromethamine 0.3M			
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)		120
	Lot #: 05252012@4	Exp. Date: 8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/-3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972364

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:25:11AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:45

Expected Weight (g): 511.52 Measured Weight (g): 513.19 Difference (%): 0.33

User Comments:

			Ordered Volume
CP2D Anticoagulant			
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)		30
	Lot #: 04062012@3	Exp. Date: 7/5/2012	
Dextrose 70%			
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)		23
	Lot #: 94-189-JT	Exp. Date: 10/1/2012	
K Chloride 2mEq/ml			
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)		20
	Lot #: 05032012@85	Exp. Date: 10/30/2012	
Na Chloride 23.4%			
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)		3.2
	Lot #: 04262012@82	Exp. Date: 7/25/2012	
Sterile Water for In			
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)		225
	Lot #: 12-054-JT	Exp. Date: 6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)		45
	Lot #: 12-054-JT	Exp. Date: 6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 8)		35
	Lot #: 12-054-JT	Exp. Date: 6/1/2013	
		Total (mL):	305
Tromethamine 0.3M			
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)		120
	Lot #: 05252012@4	Exp. Date: 8/23/2012	
		Total (mL):	**501.2**

Details:

Selected bag 138 EVA Container 500mL.
Used 45.00 mL of overfill: Sterile Water for In at port 24
Container at port 24 exchanged with new container of HOSPIRA Sterile Water for In 2000 Bag
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972365

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:28:15AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:38

Expected Weight (g): 511.52 Measured Weight (g): 514.88 Difference (%): 0.66

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972366

MixCheck™Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:30:05AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:26**

Expected Weight (g): **511.52** Measured Weight (g): **510.65** Difference (%): **-0.17**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/-3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972367

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:31:55AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:29

Expected Weight (g): 511.52 Measured Weight (g): 512.79 Difference (%): 0.25

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972368

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:33:37AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:17

Expected Weight (g): 511.52 Measured Weight (g): 510.81 Difference (%): -0.14

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972369

MixCheck™ Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	6/4/2012 10:35:24AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	**CARDIO-2**	Elapsed Time	00:01:27

Expected Weight (g): **511.52** Measured Weight (g): **511.03** Difference (%): **-0.10**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			17
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
Port: 16	Hospira Dextrose 70% 500 Bag (seq 6)			6
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
			Total (mL):	23
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	
			Total (mL):	**501.2**

Details:

Selected bag 138 EVA Container 500mL.
Used 6.00 mL of overfill: Dextrose 70% at port 16
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972370

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:38:36AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:50

Expected Weight (g): 511.52 Measured Weight (g): 513.10 Difference (%): 0.31

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			15
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
Port: 16	Hospira Dextrose 70% 500 Bag (seq 6)			3
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
Port: 16	Hospira Dextrose 70% 500 Bag (seq 7)			3
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
Port: 16	Hospira Dextrose 70% 500 Bag (seq 8)			2
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
			Total (mL):	23
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 9)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	
			Total (mL):	**501.2**

Details:

Selected bag 138 EVA Container 500mL.
Used 15.00 mL of overfill: Dextrose 70% at port 16
Used 3.00 mL of overfill: Dextrose 70% at port 16
Used 3.00 mL of overfill: Dextrose 70% at port 16
Used 2.00 mL of overfill: Dextrose 70% at port 16
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972371

MixCheck™ Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:41:21AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:02:17**

Expected Weight (g): **511.52** Measured Weight (g): **512.18** Difference (%): **0.13**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			135
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)			35
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 8)			135
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
			Total (mL):	305
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
Used 35.00 mL of overfill: Sterile Water for In at port 24
Container at port 24 exchanged with new container of HOSPIRA Sterile Water for In 2000 Bag
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972372

MixCheck™Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:43:18AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:36**

Expected Weight (g): **511.52** Measured Weight (g): **511.78** Difference (%): **0.05**

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972373

MixCheck™ Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 10:45:08AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:26**

Expected Weight (g): **511.52** Measured Weight (g): **509.81** Difference (%): **-0.33**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details: **Total (mL): 501.2**

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972374

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:47:42AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:12

Expected Weight (g): 511.52 Measured Weight (g): 510.52 Difference (%): -0.20

User Comments:

			Ordered Volume
CP2D Anticoagulant Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1) Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70% Port: 16	Hospira Dextrose 70% 500 Bag (seq 5) Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4) Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4% Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3) Lot #: 04262012@82	Exp. Date: 7/25/2012	3.2
Sterile Water for In Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6) Lot #: 12-054-JT	Exp. Date: 6/1/2013	305
Tromethamine 0.3M Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2) Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Total (mL): 501.2

Details:

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972375

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:49:20AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:15

Expected Weight (g): **511.52** Measured Weight (g): **509.91** Difference (%): **-0.31**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972376

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:51:02AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:20

Expected Weight (g): 511.52 Measured Weight (g): 511.96 Difference (%): 0.09

User Comments:

			Ordered Volume
CP2D Anticoagulant			
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)		30
	Lot #: 04062012@3	Exp. Date: 7/5/2012	
Dextrose 70%			
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)		23
	Lot #: 94-189-JT	Exp. Date: 10/1/2012	
K Chloride 2mEq/ml			
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)		20
	Lot #: 05032012@85	Exp. Date: 10/30/2012	
Na Chloride 23.4%			
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)		3.2
	Lot #: 04262012@82	Exp. Date: 7/25/2012	
Sterile Water for In			
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)		305
	Lot #: 12-054-JT	Exp. Date: 6/1/2013	
Tromethamine 0.3M			
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)		120
	Lot #: 05252012@4	Exp. Date: 8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972377

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:53:57AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:33

Expected Weight (g): 511.52 Measured Weight (g): 514.05 Difference (%): 0.49

User Comments:

				Ordered Volume
CP2D Anticoagulant				30
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				23
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				20
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				3.2
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				305
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				120
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972378

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:57:04AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:44

Expected Weight (g): 511.52 Measured Weight (g): 513.90 Difference (%): 0.47

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)	Lot #: 04062012@3	Exp. Date: 7/5/2012	30
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 8)	Lot #: 94-189-JT	Exp. Date: 10/1/2012	23
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 7)	Lot #: 05032012@85	Exp. Date: 10/30/2012	20
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)	Lot #: 04262012@82	Exp. Date: 7/25/2012	1
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 4)	Lot #: 04262012@82	Exp. Date: 7/25/2012	1
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 5)	Lot #: 04262012@82	Exp. Date: 7/25/2012	0.5
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 6)	Lot #: 04262012@82	Exp. Date: 7/25/2012	0.7
			Total (mL):	3.2
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 9)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	35
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 10)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	45
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 11)	Lot #: 12-054-JT	Exp. Date: 6/1/2013	225
			Total (mL):	305
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)	Lot #: 05252012@4	Exp. Date: 8/23/2012	120

Details:

Total (mL): 501.2

FOIA Confidential NECC_USMA000972379

Selected bag 138 EVA Container 500mL.
Used 1.00 mL of overfill: Na Chloride 23.4% at port 9
Used 0.50 mL of overfill: Na Chloride 23.4% at port 9
Container at port 9 exchanged with new container of NECC Na Chloride 23.4% 100 Vial
Used 45.00 mL of overfill: Sterile Water for In at port 24
Container at port 24 exchanged with new container of HOSPIRA Sterile Water for In 2000 Bag
The final weight of this solution is within the acceptable limit of +/- 3.00%

Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972380

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 10:59:15AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:48

Expected Weight (g): **511.52** Measured Weight (g): **510.90** Difference (%): **-0.12**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972381

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:00:58AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:20

Expected Weight (g): 511.52 Measured Weight (g): 511.09 Difference (%): -0.08

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972382

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:02:44AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:22

Expected Weight (g): 511.52 Measured Weight (g): 511.43 Difference (%): -0.02

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972383

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:04:24AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:18

Expected Weight (g): 511.52 Measured Weight (g): 511.90 Difference (%): 0.07

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972384

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:07:11AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:23

Expected Weight (g): 511.52 Measured Weight (g): 510.67 Difference (%): -0.17

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972385

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:09:26AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:01:52

Expected Weight (g): 511.52 Measured Weight (g): 509.69 Difference (%): -0.36

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			250
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)			40
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 8)			15
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
			Total (mL):	305
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
Used 40.00 mL of overfill: Sterile Water for In at port 24
Used 15.00 mL of overfill: Sterile Water for In at port 24
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972386

MixCheck™Report

Formula Name	**Cold Induction(88888800134)**	Date/Time	**6/4/2012 11:11:31AM**
Serial Number	**88888800134**	User	**Barry J. Cadden**
Configuration	**CARDIO-2**	Elapsed Time	**00:01:36**

Expected Weight (g): **511.52** Measured Weight (g): **515.33** Difference (%): **0.74**

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972387

MixCheck™ Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:14:05AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:02:12

Expected Weight (g): 511.52 Measured Weight (g): 508.88 Difference (%): -0.52

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 6)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 5)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 4)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 7)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			75
	Lot #: 05252012@4	Exp. Date:	8/23/2012	
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 3)			45
	Lot #: 05252012@4	Exp. Date:	8/23/2012	
			Total (mL):	120

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
Container at port 19 exchanged with new container of NECC Tromethamine 0.3M 4000 Bag
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972388

MixCheck™Report

Formula Name	Cold Induction(88888800134)	Date/Time	6/4/2012 11:19:31AM
Serial Number	88888800134	User	Barry J. Cadden
Configuration	CARDIO-2	Elapsed Time	00:05:05

Expected Weight (g): 511.52 Measured Weight (g): 510.51 Difference (%): -0.20

User Comments:

				Ordered Volume
CP2D Anticoagulant				
Port: 4	NECC CP2D Anticoagulant 2000 Bag (seq 1)			30
	Lot #: 04062012@3	Exp. Date:	7/5/2012	
Dextrose 70%				
Port: 16	Hospira Dextrose 70% 500 Bag (seq 5)			23
	Lot #: 94-189-JT	Exp. Date:	10/1/2012	
K Chloride 2mEq/ml				
Port: 12	NECC K Chloride 2mEq/ml 2000 Bag (seq 4)			20
	Lot #: 05032012@85	Exp. Date:	10/30/2012	
Na Chloride 23.4%				
Port: 9	NECC Na Chloride 23.4% 100 Vial (seq 3)			3.2
	Lot #: 04262012@82	Exp. Date:	7/25/2012	
Sterile Water for In				
Port: 24	HOSPIRA Sterile Water for In 2000 Bag (seq 6)			305
	Lot #: 12-054-JT	Exp. Date:	6/1/2013	
Tromethamine 0.3M				
Port: 19	NECC Tromethamine 0.3M 4000 Bag (seq 2)			120
	Lot #: 05252012@4	Exp. Date:	8/23/2012	

Details:

Total (mL): 501.2

Selected bag 138 EVA Container 500mL.
The final weight of this solution is within the acceptable limit of +/- 3.00%
Compounded on COMPOUNDER #3

Authorized by:

FOIA Confidential NECC_USMA000972389

New England Compounding Center, Inc.
PO Box 4146
Woburn, MA 01888-4146
Ph. 508-820-0606
Fx. 508-820-1616

Invoice

Date	Invoice #
6/1/2012	217467

Bill To	Ship To
CATHOLIC HEALTH EAST APSS P.O. BOX 356 NEWTOWN SQUARE, PA 19073 ATTN: MED.INVOICE/ST. PETER'S ALBANY, NY	ST. PETERS HOSPITAL-CARDIO 315 S. MANNING BLVD. ALBANY, NY 12208 ATTN: IV ROOM PHARMACY

P.O. Number	Terms	Rep	Ship	Via	F.O.B.	Account#
3201291725	Net 30	TO-H	6/1/2012	FEDEX		

Quantity	Item Code	Description	Price Each	Amount
30	CP-00134	CARDIOPLEGIA - COLD INDUCTION, 501.2 ML	30.00	900.00
30	CP-00133	CARDIOPLEGIA - MAINTENANCE, 490.2 ML	30.00	900.00
2	Shipping Charges	--N/C--	0.00	0.00

!!!THANK YOU FOR YOUR ORDER!!!

PLEASE PLACE INVOICE NUMBER ON PAYMENT

Total	$1,800.00
Credits	$0.00
Balance Due	$1,800.00

Pam

174757_2_33_000669

FDA_P00433704

advancing pharmacy solutions

Pharmacist's Rx Order Verification Sheet

Please verify that the following are correct for this Rx Order

Facility Name	
Facility Address	

133
134

Drug 1		Drug 2		Drug 3	
Medication		Medication		Medication	
Vial Size		Vial Size		Vial Size	
# of Units		# of Units		# of Units	
Lot # Matched		Lot # Matched		Lot # Matched	
Lab Reports Enclosed		Lab Reports Enclosed		Lab Reports Enclosed	

Drug 4		Drug 5		Drug 6	
Medication		Medication		Medication	
Vial Size		Vial Size		Vial Size	
# of Units		# of Units		# of Units	
Lot # Matched		Lot # Matched		Lot # Matched	
Lab Reports Enclosed		Lab Reports Enclosed		Lab Reports Enclosed	

Kathy S. Chin, RPh, PharmD	
Michelle L. Thomas, RPh, PharmD	
Barry J. Cadden, RPh	
Glenn. A. Chin, RPh	
J.Matt Evanosky, RPh	
Chris M.Leary, RPh, PharmD	
Gene V. Svirskiy, RPh, PharmD	
Alla V. Stepanets, RPh, PharmD	

TRACKING #	ACT WG	SVC	PK	RECIPIENT CONTACT	COMPANY	ADDRESS 1	CITY	ST	ZIP	CUSTOMER REFERENCE
533601087136	1.00	SO	C	LAMB PLASTIC SURGERY	STACI FOLTZ	1507 SOUTH UNIVERS	FARGO	ND	58103	HYAL
533601088945	1.00	SO	C	PHARMACY DEPT.	WEST MARION COMM	4600 SOUTHWEST 46T	OCALA	FL	34474	BUFF SOD
533601088956	1.00	SO	C	ATTN: PHARMACY DEPT	LITTLE COMPANY O	2800 WEST 95TH ST	EVERGREEN	IL	60805	METHACHOL
533601088967	1.00	PO	C	KIWAINIA STOGNER or	ALAMANCE REGIONA	1240 HUFFMAN MILL	BURLINGTON	NC	27215	METHACHOL
533601088978	1.00	SO	C	PHARMACY	SAINT JOSEPH'S H	5665 PEACHTREE DUN	ATLANTA	GA	30342	BACIT, LET GEL
533601088989	1.00	SO	C	PHARMACY	SAINT JOSEPH'S H	5665 PEACHTREE DUN	ATLANTA	GA	30342	BACIT, LET GEL
533601088990	1.00	SO	C	PHARMACY	SAINT JOSEPH'S H	5665 PEACHTREE DUN	ATLANTA	GA	30342	BACIT, LET GEL
533601089003	1.00	SO	C	ATTN: PHARMACY	PASSAVANT AREA H	1600 W. WALNUT ST	JACKSONVIL	IL	62650	METHACHOL
533601089025	1.00	SO	C	PHARMACY	STORMONT-VAIL HE	1500 SW 10TH	TOPEKA	KS	66604	METHACHOL
533601089036	1.00	SO	C	CONNYE STEPHENS/PHAR	MEDICAL CITY DAL	7777 FOREST LANE	DALLAS	TX	75230	KETOR
533601089047	1.00	SO	C	KNOXVILLE EYE SURGER	SUSAN SAMS	140 CAPITAL DR. SU	KNOXVILLE	TN	37922	HYAL
533601089058	1.00	SO	C	BRUCE LONG	CROZER-CHESTER M	15TH & UPLAND AVE.	CHESTER	PA	19013	METHACHOL
533601089069	1.00	SO	C	PHARMACY DEPT.	WELLSTAR KENNEST	677 CHURCH STREET	MARIETTA	GA	30060	METHACHOL
533601089140	1.00	SO	C	DONNA MAINE	SURGERY-CENTER O	102 REGENCY	WEST MONRO	LA	71291	AVASTIN
533601089275	4.00	SO	C	ALICE WILLIAMS	RETINA CONSULTAN	191 MAIN STREET	MANCHESTER	CT	06040	FROZEN
533601089312	4.00	PO	C	ATTN: PHARMACY DEPT	EAST COOPER MEDI	2000 HOSPITAL DRIV	MOUNT PLEA	SC	29464	FROZEN
533601089323	4.00	PO	C	CARLA GLAZE	MEDICAL ARTS EAS	1190 NORTH STATE S	JACKSON	MS	39201	FROZEN
533601089334	4.00	PO	C	DIANE GUERRARO	PACIFIC HILLS SU	24022 CALLE DE LA	LAGUNA HIL	CA	92653	FROZEN
533601089345	4.00	PO	C	CATHY	GLAUCOMA SERVICE	2 KROSS KEYS DRIVE	ALBANY	NY	12205	FROZEN
533601089356	4.00	PO	C	PENNY	CINCINNATI EYE I	1945 CEI DRIVE, 2N	CINCINNATI	OH	45242	FROZEN
533601089367	4.00	PO	C	DONNA	LANSING OPHTHALM	2001 COOLIDGE ROAD	EAST LANSI	MI	48823	FROZEN
533601089378	1.00	SO	C	DONNA	LANSING OPHTHALM	2001 COOLIDGE ROAD	EAST LANSI	MI	48823	TRIAMC
533601089404	1.00	SO	C	PHARMACY/MARIE-LAUR	GATEWAY MEDICAL	651 DUNLOP LANE	CLARKSVILL	TN	37040	CARDIO
533601089426	1.00	SO	C	GLEN PETERSON	BROOKWOOD MEDICA	2010 BROOKWOOD MED	BIRMINGHAM	AL	35209	CARDIO
533601089530	1.00	SO	C	TONY BROWN	HILLCREST HOSPIT	729 SOUTHEAST MAIN	SIMPSONVIL	SC	29681	CLONI/EPI/ROP
533601089562	1.00	SO	C	CYNTHIA FOUTS	ST FRANCIS HOSPI	8111 SOUTH EMERSON	INDIANAPOL	IN	46237	CARDIO
533601089573	1.00	SO	C	CAROLYN LEVINE	ST. LUKE'S HOSPI	915 E. FIRST STREE	DULUTH	MN	55805	CARDIO
533601089584	1.00	SO	C	DEPT. OF PHARMACY	ALBANY MEDICAL C	43 NEW SCOTLAND AV	ALBANY	NY	12208	CARDIO
533601089595	1.00	SO	C	DEPT. OF PHARMACY	ALBANY MEDICAL C	43 NEW SCOTLAND AV	ALBANY	NY	12208	CARDIO
533601089600	1.00	SO	C	DEPT. OF PHARMACY	ALBANY MEDICAL C	43 NEW SCOTLAND AV	ALBANY	NY	12208	CARDIO
533601089610	1.00	SO	C	SARA NOTEWARE/MARLEN	NORTHWEST MICHIG	4100 PARK FOREST D	TRAVERSE C	MI	49684	HYAL
533601089621	1.00	SO	C	ILENE RUSNAK	SIERRA VISTA SUR	10463 DOUBLE R. BL	RENO	NV	89521	DROPS
533601089632	1.00	SO	C	KAREN TRAINHAM	SAMARITAN MEDICA	830 WASHINGTON STR	WATERTOWN	NY	13601	CEFUROX
533601089643	4.00	PO	C	DENISE CLARK	MISSION HOSPITAL	5 MEDICAL PARK DRI	ASHEVILLE	NC	28803	FROZEN
533601089654	4.00	PO	C	WILLIAM TANG, MD	RETINA EYE CARE,	182 W. CENTRAL ST	NATICK	MA	01760	FROZEN
533601089665	1.00	SO	C	LYN HANNAH	TEXAS MIDWEST SU	751 NORTH 18TH STR	ABILENE	TX	79601	DROPS
533601089676	4.00	PO	C	JOANNE STOLLA	VITREO RETINAL C	4676 DOUGLAS CIRCL	CANTON	OH	44718	DEX
533601089687	1.00	SO	C	MARLENE HARDAWAY	NOVAMED SURGERY	1949 GUNBARREL ROA	CHATTANOOG	TN	37421	DROPS
533601089698	1.00	SO	C	MARCIA MULLINS	KLEIN DERMATOLOG	9495 SW LOCUST STR	PORTLAND	OR	97223	HYAL
533601089702	1.00	SO	C	PHARMACY - TIA CROWE	TOMBALL REGIONAL	605 HOLDERRIETH ST	TOMBALL	TX	77375	KETOR
533601089713	1.00	SO	C	SHELLY HAYNES RN	OUTPATIENT SURGI	11704 WEST CENTER	OMAHA	NE	68144	KETOR
533601089724	1.00	SO	C	PHARMACY	IBERIA MEDICAL C	2315 E. MAIN STREE	NEW IBERIA	LA	70560	KANA
533601089757	1.00	SO	C	ARLENE BRADLEY	SHERMAN HOSPITAL	1425 N. RANDALL RO	ELGIN	IL	60123	HYAL, DROPS
533601089779	1.00	SO	C	INPATIENT PHARMACY	FLORIDA HOSPITAL	400 CELEBRATION PL	CELEBRATIO	FL	34747	KETOR
533601089780	1.00	SO	C	PHARMACY	MARSHFIELD CLINI	1801 SOUTH HUME AV	MARSHFIELD	WI	54449	HYDROXY, DEX, DROPS
533601089838	1.00	SO	C	PHARMACY DEPT.	CROUSE HOSPITAL	736 IRVING AVE	SYRACUSE	NY	13210	GENT
533601089849	1.00	SO	C	KIM SNYDER/PHARMACY	GOOD SAMARITAN H	FOURTH & WALNUT ST	LEBANON	PA	17042	CARDIO
533601089850	1.00	SO	C	INPATIENT PHARMACY	UCSF MEDICAL CEN	505 PARNASSUS AVE,	SAN FRANCI	CA	94143	CARDIO
533601089860	1.00	SO	C	PHARMACY	HEART HOSPITAL O	LOVELACE MEDICAL C	ALBUQUERQU	NM	87102	CARDIO
533601089871	1.00	SO	C	PHARMACY/ELLEN CLARK	DEACONESS HOSPIT	600 MARY STREET	EVANSVILLE	IN	47747	CARDIO
533601089893	1.00	SO	C	INPATIENT PHARMACY	MERCY GENERAL HO	4001 J STREET	SACRAMENTO	CA	95819	CARDIO
533601089908	1.00	SO	C	INPATIENT PHARMACY	MERCY GENERAL HO	4001 J STREET	SACRAMENTO	CA	95819	CARDIO
533601089919	1.00	SO	C	INPATIENT PHARMACY	MERCY GENERAL HO	4001 J STREET	SACRAMENTO	CA	95819	CARDIO
533601089920	1.00	SO	C	INPATIENT PHARMACY	MERCY GENERAL HO	4001 J STREET	SACRAMENTO	CA	95819	CARDIO
533601089930	1.00	SO	C	PHARMACY	BENEFIS HOSPITAL	1101 26TH STREET S	GREAT FALL	MT	59405	CARDIO
533601089941	1.00	SO	C	ATTN: PHARMACY DEPT	ST. PETERS HOSPI	315 S. MANNING BLV	ALBANY	NY	12208	CARDIO
533601089952	1.00	SO	C	ATTN: PHARMACY DEPT	ST. PETERS HOSPI	315 S. MANNING BLV	ALBANY	NY	12208	CARDIO
533601089963	1.00	SO	C	PHARMACY DEPT.	ST. VINCENT RAND	473 GREENVILLE AVE	WINCHESTER	IN	47394	NALB
533601089974	1.00	SO	C	LISA FOXWOOD	THE MEDICAL CENT	710 CENTER STREET	COLUMBUS	GA	31901	SULP.BLUE, HYAL
533601090007	1.00	SO	C	PHARMACY	NYU MEDICAL CENT	560 FIRST AVENUE	NEW YORK	NY	10016	ACET
533601090030	1.00	SO	C	KIM MIETLICKI	AMBULATORY SURGE	WESTERN NEW YORK	AMHERST	NY	14226	DROPS, HYAL, TRIAMC, BET
533601090154	4.00	PO	C	KATHY DEPAULO	NAUGATUCK VALLEY	160 ROBBINS STREET	WATERBURY	CT	06708	FROZEN
533601090165	1.00	SO	C	ED GUZMAN	ROBERT CIZIK EYE	6400 FANNIN STREET	HOUSTON	TX	77030	AVAST
533601090176	1.00	SO	C	PHARMACY	SOUTHAMPTON HOSP	240 MEETING HOUSE	SOUTHAMPTO	NY	11968	HYAL
533601090187	1.00	SO	C	PATTIS DAUSAS	BALTIMORE EYE SU	6231 NORTH CHARLES	BALTIMORE	MD	21212	HYAL
533601090198	1.00	SO	C	DAWN OR TERESA	SOUTH EAST REGIO	5669 WHITESVILLE R	COLUMBUS	GA	31904	HYAL
533601090202	1.00	SO	C	SANDY LORING/VICKIE	EMERSON HOSPITAL	133 ORNAC STREET	CONCORD	MA	01742	HYAL
533601090213	1.00	PO	C	PHARMACY /TOMMY	SCRIPPS MEMORIAL	9888 GENESEE AVE	LA JOLLA	CA	92037	AVAST
533601090235	1.00	SO	C	LUBA	METROWEST MEDICA	LEONARD MORSE CAMP	NATICK	MA	01760	METHACHOL

New England Compounding Center, Inc.
PO Box 4146
Woburn, MA 01888-4146
Ph. 508-820-0606
Fx. 508-820-1616

Invoice

Date	Invoice #
6/1/2012	217467

Bill To	Ship To
CATHOLIC HEALTH EAST APSS P.O. BOX 356 NEWTOWN SQUARE, PA 19073 ATTN: MED.INVOICE/ST. PETER'S ALBANY, NY	ST. PETERS HOSPITAL-CARDIO 315 S. MANNING BLVD. ALBANY, NY 12208 ATTN: IV ROOM PHARMACY

P.O. Number	Terms	Rep	Ship	Via	F.O.B.	Account#
3201291725	Net 30	TO-H	6/1/2012	FEDEX		

Quantity	Item Code	Description	Price Each	Amount
30	CP-00134	CARDIOPLEGIA - COLD INDUCTION, 501.2 ML	30.00	900.00
30	CP-00133	CARDIOPLEGIA - MAINTENANCE, 490.2 ML	30.00	900.00
2	Shipping Charges	--N/C--	0.00	0.00

!!!THANK YOU FOR YOUR ORDER!!!

PLEASE PLACE INVOICE NUMBER ON PAYMENT

Total	$1,800.00
Credits	-$1,800.00
Balance Due	$0.00

Payment Receipt

New England Compounding Center, Inc.
PO Box 4146
Woburn, MA 01888-4146
Ph. 508-820-0606
Fx. 508-820-1616

Received From:
ST. PETERS HOSPITAL-CARDIO
CATHOLIC HEALTH EAST APSS
P.O. BOX 356
NEWTOWN SQUARE, PA 19073
ATTN: MED.INVOICE/ST. PETER'S ALBANY, NY

Date Received	06/26/2012	**Payment Amount**	$4,332.00
Payment Method	VISA		
Check/Ref. No.	CC Payment 06/26/12		

Invoices Paid

Date	Number	Amount Applied
05/21/2012	216144	-$2,532.00
06/01/2012	217467	-$1,800.00

DOJ_NECC003725932